

LABQUALITY

Faecal culture, final results 2/2017

	Sent to reference- laboratory	Not sent to reference- laboratory
001 Salmonella Typhimurium		
Salmonella Typhimurium	=> 6	=>* 4
Salmonella group B	=> 11	=>* 4
Salmonella sp.	=> 12	=>* 3
Salmonella Agama	-	1
Yersinia enterocolitica	1	-
Normal faecal flora (Salmonella culture is included in test selection)	-	3
Negative	-	1
002 Yersinia enterocolitica		
Yersinia enterocolitica	=> 17	=> 14
Yersinia sp.	-> 3	1
Normal faecal flora (Yersinia culture is not included in test selection)	-	=> 4
(Yersinia culture is included in test selection)	-	1
Salmonella sp.	1	-
Escherichia coli, EPEC	-	1
Negative	-	5

Own result: grey area

Expected result: =>

Expected result when referred: ->

*In Finland the finding should be sent to a reference laboratory (Regulations by National Inst. for Health and Welfare).

Labquality does not permit any reproduction for commercial purposes of any portion of the material subject to this copy (Copyright). Labquality prohibits any use of its name, or reference to Labquality, Labquality EQA program, or materials in this report in any advertising, brochures, or other commercial publications. Labquality EQA data don't necessarily indicate the superiority of reagents/equipment or materials used by participating laboratories. Use of Labquality EQA data to suggest superiority or inferiority of reagents/equipment or materials may be deceptive and misleading.